000 001 002 003 004

005 006

007 800 009 010

014 016 017

012

018 019 020 021 022

023

024 025 026 027 028 029

030 031 032 033 034 035 036

039 040 041 042 043

044

045

046

047

048

049

037

038

095 096 097 098

099

050

051

052

053

054

055

056

057

058

059

060 061

062

063

064

065

066

067

068

069

070

071

072

073

074

075

076

077

078

079

080

081

082

083

084

085

086

087

088

089

090

091

092

093

094

Instructions for CoNLL 2019 Proceedings

Anonymous CoNLL submission

Abstract

This document contains the instructions for preparing a camera-ready manuscript for the proceedings of CoNLL 2019. The document itself conforms to its own specifications, and is therefore an example of what your manuscript should look like. These instructions should be used for both papers submitted for review and for final versions of accepted papers. Authors are asked to conform to all the directions reported in this document.

Credits

This document has been adapted from the instructions for earlier ACL, EMNLP, and NAACL proceedings. It represents a recent build https://github.com/acl-org/ acl-pub, with modifications by Miikka Silfverberg and Sebastian Ruder, based on the EMNLP 2019 instructions by Fei Liu and Pontus Stenetorp, EMNLP 2018 instructions by Micha Elsner and Preethi Raghavan, NAACL 2018 instructions by Margaret Michell and Stephanie Lukin, 2017/2018 (NA)ACL bibtex suggestions from Jason Eisner, ACL 2017 by Dan Gildea and Min-Yen Kan, NAACL 2017 by Margaret Mitchell, ACL 2012 by Maggie Li and Michael White, those from ACL 2010 by Jing-Shing Chang and Philipp Koehn, those for ACL 2008 by Johanna D. Moore, Simone Teufel, James Allan, and Sadaoki Furui, those for ACL 2005 by Hwee Tou Ng and Kemal Oflazer, those for ACL 2002 by Eugene Charniak and Dekang Lin, and earlier ACL and EACL formats. Those versions were written by several people, including John Chen, Henry S. Thompson and Donald Walker. Additional elements were taken from the formatting instructions of the International Joint Conference on Artificial Intelligence and the Conference on Computer Vision and Pattern Recognition.

Introduction

The following instructions are directed to authors of papers submitted to CoNLL 2019 or accepted for publication in its proceedings. All authors are required to adhere to these specifications. Authors are required to provide a Portable Document Format (PDF) version of their papers. The proceedings are designed for printing on A4 paper.

General Instructions

Manuscripts must be in two-column format. Exceptions to the two-column format include the title, authors' names and complete addresses, which must be centered at the top of the first page, and any full-width figures or tables (see the guidelines in Subsection 3.6). Type single-spaced. Start all pages directly under the top margin. See the guidelines later regarding formatting the first page. The manuscript should be printed single-sided and its length should not exceed the maximum page limit described in Section 5. Pages are numbered for initial submission. However, do not number the pages in the camera-ready version.

By uncommenting \aclfinalcopy at the top of this document, it will compile to produce an example of the camera-ready formatting; by leaving it commented out, the document will be anonymized for initial submission.

The review process is double-blind, so do not include any author information (names, addresses) when submitting a paper for review. However, you should maintain space for names and addresses so that they will fit in the final (accepted) version. The CoNLL 2019 LATEX style will create a titlebox space of 2.5in for you when \aclfinalcopy is commented out.

The author list for submissions should include all (and only) individuals who made substantial contributions to the work presented. Each author listed on a submission to CoNLL 2019 will be notified of submissions, revisions and the final decision. No authors may be added to or removed from submissions to CoNLL 2019 after the submission deadline.

3.1 The Ruler

100

101

102

103

104

105

106

107

108

109

110

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

The CoNLL 2019 style defines a printed ruler which should be presented in the version submitted for review. The ruler is provided in order that reviewers may comment on particular lines in the paper without circumlocution. If you are preparing a document without the provided style files, please arrange for an equivalent ruler to appear on the final output pages. The presence or absence of the ruler should not change the appearance of any other content on the page. The camera ready copy should not contain a ruler. (LATEX users may uncomment the \aclfinalcopy command in the document preamble.)

Reviewers: note that the ruler measurements do not align well with lines in the paper - this turns out to be very difficult to do well when the paper contains many figures and equations, and, when done, looks ugly. In most cases one would expect that the approximate location will be adequate, although you can also use fractional references (e.g., the first paragraph on this page ends at mark 108.5).

3.2 Electronically-available resources

SIGNLL provides this description LATEX2e (conl1-2019.tex) and PDF format (conl1-2019.pdf), along with the LATEX2e style file used to format it (conl1-2019.sty) and an ACL bibliography style (acl_natbib.bst) and bibliography (conl1-2019.bib). example These are all available files at http: //conll.org/downloads/conll-2019-latex. Microsoft Word template zip: (http://conll.org/downloads/conll-2019-word. dimensions for a page on A4 paper are: example submission pdf (conll-2019-word.pdf) is available at http:// conll.org/downloads/conll-2019-word.zip.

We strongly recommend the use of these style files, which have been appropriately tailored for the CoNLL 2019 proceedings.

3.3 Format of Electronic Manuscript

For the production of the electronic manuscript you must use Adobe's Portable Document Format (PDF). PDF files are usually produced from LATEX using the pdflatex command. If your version of LATEX produces Postscript files, you can convert these into PDF using ps2pdf or dvipdf. On Windows, you can also use Adobe Distiller to generate PDF.

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

Please make sure that your PDF file includes all the necessary fonts (especially tree diagrams, symbols, and fonts with Asian characters). When you print or create the PDF file, there is usually an option in your printer setup to include none, all or just non-standard fonts. Please make sure that you select the option of including ALL the fonts. Before sending it, test your PDF by printing it from a computer different from the one where it was created. Moreover, some word processors may generate very large PDF files, where each page is rendered as an image. Such images may reproduce poorly. In this case, try alternative ways to obtain the PDF. One way on some systems is to install a driver for a postscript printer, send your document to the printer specifying "Output to a file", then convert the file to PDF.

It is of utmost importance to specify the A4 format (21 cm x 29.7 cm) when formatting the paper. When working with dvips, for instance, one should specify -t a4. Or using the command \special {papersize=210mm, 297mm} in the latex preamble (directly below the \usepackage commands). Then using dvipdf and/or pdflatex which would make

Print-outs of the PDF file on A4 paper should be identical to the hardcopy version. If you cannot meet the above requirements about the production of your electronic submission, please contact the publication chairs as soon as possible.

3.4 Layout

it easier for some.

Format manuscripts two columns to a page, in the manner these instructions are formatted. The exact

• Left and right margins: 2.5 cm

• Top margin: 2.5 cm

• Bottom margin: 2.5 cm

• Column width: 7.7 cm

• Column height: 24.7 cm

• Gap between columns: 0.6 cm

200	Type of Text	Font Size	Style	
201	paper title	15 pt	bold	
202	author names	12 pt	bold	
203	author affiliation	12 pt		
204	the word "Abstract"	12 pt	bold	
205	section titles	12 pt	bold	
206	document text	11 pt		
207	captions	10 pt		
208	abstract text	10 pt		
209	bibliography	10 pt		
210	footnotes	9 pt		
211				
212	Table 1: Fo	Table 1: Font guide.		
213				
214	Papers should not be subm	nitted on any	other pa	

size. If you cannot meet the above requirements about the production of your electronic submission, please contact the publication chairs above as soon as possible.

3.5 Fonts

215

216

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

For reasons of uniformity, Adobe's Times Roman font should be used. In LATEX2e this is accomplished by putting

```
\usepackage{times}
\usepackage{latexsym}
```

in the preamble. If Times Roman is unavailable, use Computer Modern Roman (LATEX2e's default). Note that the latter is about 10% less dense than Adobe's Times Roman font.

3.6 The First Page

Center the title, author's name(s) and affiliation(s) across both columns. Do not use footnotes for affiliations. Do not include the paper ID number assigned during the submission process. Use the two-column format only when you begin the ab-

Title: Place the title centered at the top of the first page, in a 15-point bold font. (For a complete guide to font sizes and styles, see Table 1) Long titles should be typed on two lines without a blank line intervening. Approximately, put the title at 2.5 cm from the top of the page, followed by a blank line, then the author's names(s), and the affiliation on the following line. Do not use only initials for given names (middle initials are allowed). Do not format surnames in all capitals (e.g., use "Mitchell" not "MITCHELL"). Do not format title and section headings in all capitals as

Command	Output
{\ " a}	ä
{\^e}	ê
{\'i}	ì
{\.I}	İ
{\0}	ø
{\'u}	ø ú
{\aa}	å

Command	Output
{\c c}	ç
{\u g}	ç ğ
{\1}	ł
{\~n}	ñ
{\H o}	ő
{\v r}	ř
{\ss}	ß

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

Table 2: Example commands for accented characters, to be used in, e.g., BIBT_EX names.

well except for proper names (such as "BLEU") that are conventionally in all capitals. The affiliation should contain the author's complete address, and if possible, an electronic mail address. Start the body of the first page 7.5 cm from the top of the page.

The title, author names and addresses should be completely identical to those entered to the electronical paper submission website in order to maintain the consistency of author information among all publications of the conference. If they are different, the publication chairs may resolve the difference without consulting with you; so it is in your own interest to double-check that the information is consistent.

Abstract: Type the abstract at the beginning of the first column. The width of the abstract text should be smaller than the width of the columns for the text in the body of the paper by about 0.6 cm on each side. Center the word **Abstract** in a 12 point bold font above the body of the abstract. The abstract should be a concise summary of the general thesis and conclusions of the paper. It should be no longer than 200 words. The abstract text should be in 10 point font.

Text: Begin typing the main body of the text immediately after the abstract, observing the twocolumn format as shown in the present document. Do not include page numbers.

Indent: Indent when starting a new paragraph, about 0.4 cm. Use 11 points for text and subsection headings, 12 points for section headings and 15 points for the title.

3.7 Sections

Headings: Type and label section and subsection headings in the style shown on the present document. Use numbered sections (Arabic numerals) in order to facilitate cross references. Number subsections with the section number and the subsection number separated by a dot, in Arabic numerals. Do not number subsubsections.

output	natbib	previous SIGNLL style files
(Gusfield, 1997)	\citep	\cite
Gusfield (1997)	\citet	\newcite
(1997)	\citeyearpar	\shortcite

Table 3: Citation commands supported by the style file. The citation style is based on the natbib package and supports all natbib citation commands. It also supports commands defined in previous SIGNLL style files for compatibility.

Citations: Citations within the text appear in parentheses as (Gusfield, 1997) or, if the author's name appears in the text itself, as Gusfield (1997). Using the provided LATEX style, the former is accomplished using \cite and the latter with \shortcite or \newcite. Collapse multiple citations as in (Gusfield, 1997; Aho and Ullman, 1972); this is accomplished with the provided style using commas within the \cite command, e.g., \cite{Gusfield:97, Aho:72}. Append lowercase letters to the year in cases of ambiguities. Treat double authors as in (Aho and Ullman, 1972), but write as in (Chandra et al., 1981) when more than two authors are involved. Collapse multiple citations as in (Gusfield, 1997; Aho and Ullman, 1972). Also refrain from using full citations as sentence constituents.

We suggest that instead of

"(Gusfield, 1997) showed that ..."

you use

"Gusfield (1997) showed that ..."

If you are using the provided LATEX and BibTEX style files, you can use the command \citet (cite in text) to get "author (year)" citations.

If the BibTeX file contains DOI fields, the paper title in the references section will appear as a hyperlink to the DOI, using the hyperref LATeX package. To disable the hyperref package, load the style file with the nohyperref option:

\usepackage[nohyperref]{conll-2019}

Digital Object Identifiers: As part of our work to make ACL materials more widely used and cited outside of our discipline, ACL has registered as a CrossRef member, as a registrant of Digital Object Identifiers (DOIs), the standard for registering permanent URNs for referencing scholarly materials. As of 2017, we are requiring all camera-ready references to contain the appropriate DOIs (or as a second resort, the hyperlinked ACL

Anthology Identifier) to all cited works. Thus, please ensure that you use References that contain DOI or URLs for any of the ACL materials that you reference. Appropriate records should be found for most materials in the current ACL Anthology at http://aclanthology.info/.

As examples, we cite (Goodman et al., 2016) to show you how papers with a DOI will appear in the bibliography. We cite (Harper, 2014) to show how papers without a DOI but with an ACL Anthology Identifier will appear in the bibliography.

Anonymity: As reviewing will be double-blind, the submitted version of the papers should not include the authors' names and affiliations. Furthermore, self-references that reveal the author's identity, *e.g.*,

```
"We previously showed (Gusfield, 1997) ..."
```

should be avoided. Instead, use citations such as

"Gusfield (1997) previously showed ..."

Preprint servers such as arXiv.org and workshops that do not have published proceedings are not considered archival for purposes of submission. However, to preserve the spirit of blind review, authors are encouraged to refrain from posting until the completion of the review process. Otherwise, authors must state in the online submission form the name of the workshop or preprint server and title of the non-archival version. The submitted version should be suitably anonymized and not contain references to the prior non-archival version. Reviewers will be told: "The author(s) have notified us that there exists a non-archival previous version of this paper with significantly overlapping text. We have approved submission under these circumstances, but to preserve the spirit of blind review, the current submission does not reference the non-archival version."

Please do not use anonymous citations and do not include when submitting your papers. Papers

that do not conform to these requirements may be rejected without review.

References: Gather the full set of references together under the heading **References**; place the section before any Appendices, unless they contain references. Arrange the references alphabetically by first author, rather than by order of occurrence in the text. By using a .bib file, as in this template, this will be automatically handled for you. See the \bibliography commands near the end for more.

Provide as complete a citation as possible, using a consistent format, such as the one for *Computational Linguistics* or the one in the *Publication Manual of the American Psychological Association* (American Psychological Association, 1983). Use of full names for authors rather than initials is preferred. A list of abbreviations for common computer science journals can be found in the ACM *Computing Reviews* (for Computing Machinery, 1983).

The LATEX and BibTEX style files provided roughly fit the American Psychological Association format, allowing regular citations, short citations and multiple citations as described above.

- Example citing an arxiv paper: (Rasooli and Tetreault, 2015).
- Example article in journal citation: (Ando and Zhang, 2005).
- Example article in proceedings, with location: (Borschinger and Johnson, 2011).
- Example article in proceedings, without location: (Andrew and Gao, 2007).

See corresponding .bib file for further details.

Submissions should accurately reference prior and related work, including code and data. If a piece of prior work appeared in multiple venues, the version that appeared in a refereed, archival venue should be referenced. If multiple versions of a piece of prior work exist, the one used by the authors should be referenced. Authors should not rely on automated citation indices to provide accurate references for prior and related work.

Appendices: Appendices, if any, directly follow the text and the references (but see above). Letter them in sequence and provide an informative title: **Appendix A. Title of Appendix**.

3.8 URLs

URLs can be typeset using the \url command. However, very long URLs cause a known issue in which the URL highlighting may incorrectly cross pages or columns in the document. Please check carefully for URLs too long to appear in the column, which we recommend you break, shorten or place in footnotes. Be aware that actual URL should appear in the text in human-readable format; neither internal nor external hyperlinks will appear in the proceedings.

3.9 Footnotes

Footnotes: Put footnotes at the bottom of the page and use 9 point font. They may be numbered or referred to by asterisks or other symbols.¹ Footnotes should be separated from the text by a line.²

3.10 Graphics

Illustrations: Place figures, tables, and photographs in the paper near where they are first discussed, rather than at the end, if possible. Wide illustrations may run across both columns. Color illustrations are discouraged, unless you have verified that they will be understandable when printed in black ink.

Captions: Provide a caption for every illustration; number each one sequentially in the form: "Figure 1. Caption of the Figure." "Table 1. Caption of the Table." Type the captions of the figures and tables below the body, using 11 point text.

3.11 Accessibility

In an effort to accommodate people who are colorblind (as well as those printing to paper), grayscale readability for all accepted papers will be encouraged. Color is not forbidden, but authors should ensure that tables and figures do not rely solely on color to convey critical distinctions. A simple criterion: All curves and points in your figures should be clearly distinguishable without color.

4 Translation of non-English Terms

It is also advised to supplement non-English characters and terms with appropriate transliterations and/or translations since not all readers understand all such characters and terms. Inline transliteration or translation can be represented in the order of: original-form transliteration "translation".

¹This is how a footnote should appear.

²Note the line separating the footnotes from the text.

5 Length of Submission

The CoNLL 2019 main conference accepts submissions of long papers only. Long papers may consist of up to eight (8) pages of content plus unlimited pages for references. Upon acceptance, final versions of long papers will be given one additional page – up to nine (9) pages of content plus unlimited pages for references – so that reviewers' comments can be taken into account.

All illustrations and tables that are part of the main text must be accommodated within these page limits, observing the formatting instructions given in the present document. Supplementary material in the form of appendices does not count towards the page limit; see appendix A for further information.

However, note that supplementary material should be supplementary (rather than central) to the paper, and that reviewers may ignore supplementary material when reviewing the paper (see Appendix A). Papers that do not conform to the specified length and formatting requirements are subject to be rejected without review.

Workshop chairs may have different rules for allowed length and whether supplemental material is welcome. As always, the respective call for papers is the authoritative source.

Acknowledgments

The acknowledgments should go immediately before the references. Do not number the acknowledgments section. Do not include this section when submitting your paper for review.

Preparing References:

Include your own bib file like this:
\bibliographystyle{acl_natbib}
\bibliography{conll-2019}

Where conll-2019 corresponds to the conll-2019.bib file.

References

Alfred V. Aho and Jeffrey D. Ullman. 1972. *The Theory of Parsing, Translation and Compiling*, volume 1. Prentice-Hall, Englewood Cliffs, NJ.

American Psychological Association. 1983. *Publications Manual*. American Psychological Association, Washington, DC.

Rie Kubota Ando and Tong Zhang. 2005. A framework for learning predictive structures from multiple tasks and unlabeled data. *Journal of Machine Learning Research*, 6:1817–1853.

Galen Andrew and Jianfeng Gao. 2007. Scalable training of L1-regularized log-linear models. In *Proceedings of the 24th International Conference on Machine Learning*, pages 33–40.

Benjamin Borschinger and Mark Johnson. 2011. A particle filter algorithm for Bayesian wordsegmentation. In *Proceedings of the Australasian Language Technology Association Workshop 2011*, pages 10–18, Canberra, Australia.

Ashok K. Chandra, Dexter C. Kozen, and Larry J. Stockmeyer. 1981. Alternation. *Journal of the Association for Computing Machinery*, 28(1):114–133.

Association for Computing Machinery. 1983. *Computing Reviews*, 24(11):503–512.

James Goodman, Andreas Vlachos, and Jason Naradowsky. 2016. Noise reduction and targeted exploration in imitation learning for abstract meaning representation parsing. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 1–11. Association for Computational Linguistics.

Dan Gusfield. 1997. Algorithms on Strings, Trees and Sequences. Cambridge University Press, Cambridge, UK.

Mary Harper. 2014. Learning from 26 languages: Program management and science in the babel program. In *Proceedings of COLING 2014, the 25th International Conference on Computational Linguistics: Technical Papers*, page 1. Dublin City University and Association for Computational Linguistics.

Mohammad Sadegh Rasooli and Joel R. Tetreault. 2015. Yara parser: A fast and accurate dependency parser. *Computing Research Repository*, arXiv:1503.06733. Version 2.

A Supplemental Material

Each CoNLL 2019 submission can be accompanied by a single PDF appendix, one .tgz or .zip appendix containing software, and one .tgz or .zip appendix containing data.

Submissions may include resources (software and/or data) used in in the work and described in the paper. Papers that are submitted with accompanying software and/or data may receive additional credit toward the overall evaluation score, and the potential impact of the software and data will be taken into account when making the acceptance/rejection decisions. Any accompanying software and/or data should include licenses and documentation of research review as appropriate.

CoNLL 2019 also encourages the submission of supplementary material to report preprocessing decisions, model parameters, and other details necessary for the replication of the experiments reported in the paper. Seemingly small preprocessing decisions can sometimes make a large difference in performance, so it is crucial to record such decisions to precisely characterize state-of-the-art methods.

 Nonetheless, supplementary material should be supplementary (rather than central) to the paper. Submissions that misuse the supplementary material may be rejected without review. Essentially, supplementary material may include explanations or details of proofs or derivations that do not fit into the paper, lists of features or feature templates, sample inputs and outputs for a system, pseudo-code or source code, and data. (Source code and data should be separate uploads, rather than part of the paper).

The paper should not rely on the supplementary material: while the paper may refer to and cite the supplementary material and the supplementary material will be available to the reviewers, they will not be asked to review the supplementary material.

Appendices (*i.e.* supplementary material in the form of proofs, tables, or pseudo-code) should be **uploaded as supplementary material** when submitting the paper for review. Upon acceptance, the appendices come after the references, as shown here. Use \appendix before any appendix section to switch the section numbering over to letters.